

## ELENCO DELLE PUBBLICAZIONI

(Prof. Renato UGO)

- 1) Prodotti di sostituzione dei metallocarbonili con leganti polidentati. Nota II. Derivati dei carbonili dei metalli del VI gruppo con una diarsina terziaria.

**Gazz. Chim. It., 92, 761 (1962)**  
(con F. Zingales e F. Canziani)

- 2) Ricerche sulle enammine. Nota VI. Reazioni delle arilazidi con enammine di composti a gruppo metilenico attivo.

**Gazz. Chim. It., 92, 1040 (1962)**  
(con R. Fusco, G. Bianchetti e D. Pocar)

- 3) Prodotti di sostituzione dei metallo-carbonili con leganti polidentati. Nota III. Derivati del ferro pentacarbonile e del ferrodinitrosildicarbonile con leganti bidentati aventi il fosforo e l'arsenico come atomi donatori.

**La Chimica e l'Industria, 44, 1394 (1962)**  
(con F. Zingales e F. Canziani)

- 4) Prodotti di sostituzione dei metallo-carbonili con leganti polidentati. Nota IV. Derivati binucleari con i disolfuri alifatici.

**Rend. Ist. Lomb. Acc. Sc. Lett., 96, 488 (1962)**  
(con F. Zingales)

- 5) Prodotti di sostituzione dei metallo-carbonili con leganti polidentati. Nota V. Derivati trisostituiti e tetrasostituiti dei metallo-carbonili del VI gruppo con tetrarsina terziaria.

**Rend. Ist. Acc. Lomb. Sc. Lett., 96, 763 (1962)**  
(con F. Zingales)

- 6) Versuche im Enamingebiet VII. Reaktion von Arylsulfonylaziden mit Enaminen aus Chetomethylenverbindungen.

**Chem. Ber., 96, 802 (1963)**  
(con R. Fusco, G. Bianchetti e D. Pocar)

- 7) Triphenylphosphine derivatives of Platinum(0).  
**J. Chem. Soc., 2080 (1963)**  
(con L. Malatesta)
- 8a) Sulla formazione di idruro-complessi di rodio(III) per reazione dell'alcool etilico.  
**La Chimica e l'Industria, 45, 1096 (1963)**  
(con A. Sacco)
- 8b) Hydrido-complexes of rhodium(III) with tertiary phosphines.  
**Coord. Chem. Rev., 1, 234 (1966)**  
(con A. Sacco e A. Moles)
- 8c) Hydrido-complexes of transition metals. Part II. Hydrido-complexes of rhodium(III) with tertiary phosphines.  
**J. Chem. Soc. A, 1670 (1966)**  
(con A. Sacco e A. Moles)
- 9) Hydrido-complexes of transition metals. Part I. Hydrido-complexes of rhodium(I) and cobalt(III).  
**J. Chem. Soc., 3274 (1964)**  
(con A. Sacco)
- 10a) The basic behaviour of some platinum(0) derivatives.  
**Chemistry and Industry, 1714 (1964)**  
(con F. Cariati e F. Bonati)
- 10b) Reactions of inorganic acids with zerovalent platinum, palladium and nickel compounds having triphenylphosphine or 1,2 (bisdiphenylphosphine) ethane as ligands.  
**Inorg. Chem., 5, 1128 (1966)**  
(con F. Cariati e F. Bonati)
- 11) Disostituzione del carbonile di manganese con trifenilfosfina e trifenilfosfito.  
**Rend. Ist. Lomb. Acc. Sc. Lett., 98, 541 (1964)**  
(con F. Bonati)

12a) Interazione del rodio carbonile alogenuro con nitrili.

**Rend. Ist. Lomb. Acc. Sc. Lett., 98, 548 (1964)**  
(con F. Bonati)

12b) The reaction of rhodiumcarbonylhalides with nitriles.

**Inorg. Chim. Acta, 2, 463 (1968)**  
(con F. Bonati e M. Fiore)

13a) Complessi di rodio e iridio carbonile con basi di Schiff. Nota preliminare.

**La Chimica e l'Industria, 46, 1339 (1964)**  
(con F. Bonati)

13b) Rhodium(I) and iridium(I) carbonyl derivatives of some Schiff bases of acetylacetone.

**J. Organomet. Chem., 7, 167 (1967)**  
(con F. Bonati)

14a)  $\beta$ -dichetonati di iridiocarbonile.

**La Chimica e l'Industria, 46, 1486 (1964)**  
(con F. Bonati)

14b) Iridium(I) dicarbonyl  $\beta$ -diketonates.

**J. Organomet. Chem., 11, 341 (1968)**  
(con F. Bonati)

15) Interazione dei prodotti di sostituzione del carbonile di manganese con alogenuri di stagno(II).

**Rend. Ist. Lomb. Acc. Sc. Lett., 98, 607 (1964)**  
(con F. Bonati)

16a) Sul prodotto della reazione tra rodio carbonile alogenuro e trifenilstibina. Nota preliminare.

**Rend. Ist. Lomb. Acc. Sc. Lett., 98, 627 (1964)**  
(con F. Bonati e S. Cenini)

16b) Interaction of rhodiumcarbonylhalides with triarylstibines.

**Inorg. Chim. Acta., 3, 220 (1969)**  
(con F. Bonati e S. Cenini)

17a) Complessi organometallici di stagno e di tallio.

**Rend. Ist. Lomb. Acc. Sc. Lett., 99, 825 (1965)**  
(con F. Bonati e S. Cenini)

17b) Organotin(IV) and organotallium(III) P,P-disubstituted  
dithiophosphinates and organothallium(III) N,N-disubstituted  
dithiocarbamates.

**J. Organomet. Chem., 9, 395 (1967)**  
(con F. Bonati e S. Cenini)

18a) Synthesis of compounds with metal-to-tin bonds.

**Inorg. Nucl. Chem. Lett., 1, 107 (1965)**  
(con F. Bonati, S. Cenini e D. Morelli)

18b) A new synthesis of compounds with cobalt-to-tin bonds.

**J. Chem. Soc., A, 1052 (1966)**  
(con F. Bonati, S. Cenini e D. Morelli)

19)  $\pi$  acceptor properties of  $\text{SnR}_3^-$  ( $\text{R} = \text{Cl}, \text{C}_6\text{H}_5$ ) estimated by means of infrared spectra.

**Ric. Sc., 36, 253 (1966)**  
(con F. Cariati, F. Bonati, S. Cenini e D. Morelli)

20) Adducts of coordination compounds. Part II. Compounds of nitric acid and trans-dihalogenotetrapyrindine metal (III)nitrate.

**J. Chem. Soc., A, 549 (1966)**  
(con R.D. Gillard)

21) The hydrogen dinitrate ion.

**J. Chem. Soc. A, 1185 (1966)**  
(con B.D. Faithful, R.D. Gillard e D.G. Tuck)

- 22) Adducts of coordination compounds. Part III. Nitric adducts of some ethylenediamine complexes of cobalt(III).

**J. Chem. Soc. A, 1137 (1966)**  
(con K. Garbett e R.D. Gillard)

- 23) Optically active coordination compounds. Part VII. Triscomplexes of (+)hydroxymethylenecamphor.

**J. Chem. Soc. A, 1540 (1966)**  
(con J.H. Dunlop e R.D. Gillard)

- 24a) Bistriphenylphosphineplatinum(0).

**Chem. Comm., 868 (1966)**  
(con F. Cariati e G. La Monica)

- 24b) Zerovalent platinum chemistry III. Properties of bistriphenylphosphine platinum(0).

**Inorg. Chim. Acta, 4, 390 (1970)**  
(con G. La Monica, F. Cariati, S. Cenini e F. Conti)

- 25a) Novel cluster compounds of platinum(0).

**Chem. Comm., 869 (1966)**  
(con R.D. Gillard, F. Cariati, S. Cenini e D. Morelli)

- 25b) Zerovalent platinum chemistry. Part X. Cluster compounds of platinum with triphenyl phosphine as ligand and their reactions with carbon monoxide.

**Inorg. Chim. Acta, 18, 113 (1976)**  
(con S. Cenini, M.F. Pilbrow, B.Deibel e G. Scheider)

- 26) Reazioni dell'ossido di carbonio con i complessi trifenilfosfinici di platino zero.

**La Chimica e l'Industria, 48, 1288 (1966)**  
(con F. Cariati)

- 27a) Evidence for reaction intermediate in nucleophilic substitution in rhodium(I) planar complexes.

**Chem. Comm., 48 (1967)**  
**(con L. Cattalini, A. Orio e F. Bonati)**

- 27b) Nucleophilic reactivity in substitution reactions of square planar metal complexes. III Kinetic for the accumulation of a reaction intermediate in nucleophilic substitution in Rh(I) complexes.

**J. Am. Chem. Soc., 90, 4800 (1968)**  
**(con L. Cattalini e A. Orio)**

- 28) The production of the species  $\text{HMn}(\text{CO})_3(\text{ligand})_2$  from dimanganese decacarbonyl and triphenylphosphine or triphenylphosphite.

**J. Organomet. Chem., 8, 189 (1967)**  
**(con F. Bonati)**

- 29) New olefinic compounds of platinum(0).

**Inorg. Nucl. Chem. Lett., 3, 191 (1967)**  
**(con S. Cenini, F. Bonati e G. La Monica)**

- 30) Chemistry of zerovalent nickel, palladium and platinum derivatives.

**Adv. in Chemistry series, n°62 Werner Centennial, 318**  
**(1967). Published by Am. Chem. Soc.**  
**(con L. Malatesta e S. Cenini)**

- 31) The structure of Bis(triphenylphosphine)carbonato platinum(II).

**Chem. Comm., 408 (1967)**  
**(con F. Cariati, R. Mason e G.B. Robertson)**

- 32a) The coordination of small molecules by bis(triphenylphosphine) platinum(0); the reaction with  $\text{H}_2\text{S}$ ,  $\text{H}_2\text{Se}$  and  $\text{H}_2\text{Te}$ .

**Chem. Comm., 524 (1967)**  
**(con D. Morelli, A. Segre, G. La Monica, F. Conti,**  
**S. Cenini e F. Bonati)**

- 32b) Zerovalent platinum chemistry. Part VI. The reaction of bis and tris-triphenyl phosphine platinum(0) with hydrogen sulphide, hydrogen selenide, sulphur and related molecules.

**J. Chem. Soc. A, 522 (1971)**  
**(con G.LaMonica, S.Cenini, A. Segre e F.Conti)**

- 33) Interaction of tin(II) halides with compounds having mercury-metal bonds.

**J. Chem. Soc. A, 932 (1967)**  
**(con F. Bonati e S. Cenini)**

- 34) Organotin(IV) (N,N) disubstituted dithiocarbamates.

**J. Organomet. Chem., 10, 257 (1967)**  
**(con F. Bonati)**

- 35) The crystal and molecular structures of acetylacetonatobiscarbonylrhodium(I) and of some fluoro-substituted complexes.

**Chem. Comm., 1041 (1967)**  
**(con N.A. Bailey, E. Coates, G.B. Robertson e F. Bonati)**

- 36) Adducts of coordination compounds. Part IV. Nitric acid adducts of ammino complexes of trivalent metals.

**Inorg. Chim. Acta, 1, 311 (1967)**  
**(con R.D. Gillard)**

- 37) Adducts of coordination compounds. Part V. An intermediate in acid catalysed aquation of a nitro complex.

**J. Chem. Soc. A, 2078 (1967)**  
**(con R.D. Gillard)**

- 38a) The role of dimethylformamide in the interaction of olefins with PdCl<sub>2</sub>. A new method of synthesis in mild conditions of  $\pi$ -allylpalladium(II) compounds.

**Chem. Comm., 801 (1967)**  
**(con D. Morelli, F. Conti e M. Donati)**

- 38b) Catalysis by palladium salts I. The role of dimethyl formamide and related solvents in the palladium-olefin interaction.

**J. Organomet. Chem., 30, 421 (1971)**  
**(con F.Conti, M. Donati e G.Pregaglia)**

- 39a) A dehydrodiimide complex of platinum(II), the reduction of cis-bis-triphenylphosphine-platinum dichloride by hydrazine.

**Chem. Comm., 739 (1967)**  
**(con G.C. Robinson, R. Mason, F. Conti, D. Morelli,  
S. Cenini e F. Bonati)**

- 39b) Zerovalent platinum chemistry. Part IX. Reduction of dichlorobis-(phosphine) platinum(II) by hydrazine.

**J. Chem. Soc. Dalton, 1081(1975)**  
**(con M. Keubler, S. Cenini e F. Conti)**

- 40) The intermetallic bond in some carbonyl compounds with a heterogeneous metal-metal bond.

**Inorg. Chim. Acta, 1, 451 (1967)**  
**(con S. Cenini e F. Bonati)**

- 41) Rhodium(II) acetate,  $\beta$ -diketonato compounds.

**Inorg. Chim. Acta, 1, 443 (1967)**  
**(con S. Cenini e F. Bonati)**

- 42) Coordination and olefin catalysis by transition metals.

**Inorg. Chim. Acta Rev., 1, 49 (1967)**  
**(con S. Carra')**

- 43) Complessi dimetilammidici di alcuni metalli del gruppo del platino.

**La Chimica e l'Industria, 50, 231 (1968)**  
**(con M. Donati, D. Morelli e F. Conti)**

- 44) Rhodium(I) and Iridium(I) carbonyl derivatives with anionic chelated ligands.

**J. Organomet. Chem., 11, 159 (1968)**  
**(con G. La Monica, S. Cenini e F. Conti)**

- 45a) Tris and tetrakis(triphenylphosphine)platinum(0).

**Inorg. Synth., 11, 105 (1968)**

(con F. Cariati e G. La Monica)

45b) Tris- and tetrakis(triphenylphosphine)platinum(0).

**Inorg. Synth.**, 28, 123 (1990)  
(con F. Cariati e G. La Monica)

46) The coordinative reactivity of phosphine complexes of platinum(0), palladium(0) and nickel(0).

**Coord. Chem. Rev.**, 3, 319 (1968)

47) Adducts of coordination compounds. Part VI. Thermal decomposition of some protonic acid adducts.

**J. Inorg. Nucl. Chem.**, 30, 2755 (1968)  
(con P. Dillimore, R.D. Gillard e E. McKenzie)

48) The addition of oxygen to carbonyl groups: the reactivity of bistriphenylphosphineplatinum(0) oxygen.

**Chem. Comm.**, 1498 (1968)  
(con F. Conti, S. Cenini, R. Mason e G.B. Robertson)

49) Catalysis by cobalto-cyano complexes in non-aqueous solvents.

**Disc. Faraday Soc.**, 46, 110 (1968)  
(con G. Pregaglia, D. Morelli, F. Conti e G. Gregorio)

50) Sintesi mediante idroformilazione stechiometrica di idruri di cobalto carbonile di- e tri- fosfino sostituiti.

**La Chimica e l'Industria**, 50, 1332 (1968)  
(con G. Pregaglia e A. Andreetta)

51) Hydrogen transfer reaction from alcohols catalysed by rhodium carbonyl phosphine complexes.

**Inorg. Chim. Acta**, 3, 89 (1969)  
(con G. Gregorio e G. Pregaglia)

52) A novel paramagnetic cobalt(0) carbonylphosphine cluster showing catalytic properties.

**Chem. Comm.**, 590 (1969)

(con G.Pregaglia, A.Andreetta e G. Ferrari)

- 53) A reinterpretation of the mechanism of ammonia synthesis in heterogeneous phase.

**J. of Catalysis, 15, 435 (1969)**  
(con S. Carra')

- 54) Aspects of olefin catalysis by transition metal oxides.

**Inorg. Chim. Acta Rev., 3, 55 (1969)**  
(con S. Carra' e L. Zanderighi)

- 55) General features of homogeneous catalysis by transition metals.

**La Chimica e l'Industria, 51, 1319 (1969)**

- 56) Some relations between homogeneous and heterogeneous catalysis by transition metals.

**Engelhard Technical Bulletin, 11, 45 (1970)**

- 57a) Bis triphenylphosphineplatinum(0) complexes of some activated monoolefins and monoalkynes.

**Colloques Internationaux du CNRS, 191, 360 (1970)**  
(con S. Cenini e G. La Monica)

- 57b) Zerovalent platinum(0) chemistry IV: bistriphenylphosphineplatinum(0) complexes with some activated monoolefins and monoalkynes.

**J.Chem.Soc. A, 409 (1971)**  
(con S. Cenini e G. La Monica)

- 58) A reversal of sign of Cotton effect as a test for the Octant Rule as applied to transition metal complexes.

**J. Inorg. Nucl. Chem., 33, 997 (1971)**  
(con R.D. Gillard e S.H. Laurie)

- 59) Zerovalent platinum(0) chemistry V: bistriphenylphosphineplatinum(0) quinone complexes.

**J. Chem. Soc. A, 416 (1971)**  
(con S. Cenini e G. La Monica)

- 60) Interaction of triphenylphosphineplatinum(0) complexes with organic azides and some carbonylation reactions.

**J. Chem. Soc. A, 113 (1971)**  
(con W. Beck, M. Bauder, G. La Monica e S. Cenini)

- 61) Homogeneous catalysis by transition metal complexes I. The homogeneous cyclohexene oxidation catalysed by low valent tertiary phosphine transition metal complexes.

**J. Organomet. Chem., 26, 417 (1971)**  
(con A. Fusi, F. Fox, A. Pasini e S. Cenini)

- 62) Steric and solvent effects in oxygen uptake by salicylideneiminato cobalt(II) complexes.

**La Chimica e l'Industria, 53, 264 (1971)**  
(con F. Cariati, A. Fusi, M. Gullotti e F. Salghetti)

- 63) Catalysis by phosphine cobalt carbonyl complexes I. Synthesis and catalytic properties of (tributylphosphine)cobalt(I) hydridecarbonyl complexes.

**J. Organomet. Chem., 30, 387 (1971)**  
(con G. Pregaglia, A. Andreetta e G.F. Ferrari)

- 64) Homogeneous catalysis by transition metal complexes. Part II. An investigation of the hydrogen-transfer catalysed by the Henbest system.

**J. Chem. Soc. C, 2652 (1971)**  
(con M. Gullotti e S. Colonna)

- 65) Catalysis by phosphine cobalt carbonyl complexes III. The synthesis and catalytic properties of a new series of cobalt(0) clusters.

**J. Organomet. Chem., 33, 73 (1971)**  
(con G. Pregaglia, A. Andreetta, G.F. Ferrari e G. Montrasi)

- 66) Zerovalent platinum chemistry. Part VII. Oxidative addition of diazonium salts to triphenylphosphine derivatives of platinum(0).

**J. Chem. Soc. A, 3441 (1971)**  
(con S. Cenini e G. La Monica)

- 67) Condensation of alcohols catalysed by tertiary phosphine transition metal complexes.

**J. Organomet. Chem., 37, 385 (1972)**  
(con G. Gregorio e G. Pregaglia)

- 68) Zerovalent platinum chemistry VIII : Interaction of nitric oxide with tris- and tetrakis(triphenylphosphine)platinum(0).

**Inorg. Chim. Acta, 6, 182 (1972)**  
(con S. Cenini, G. La Monica e S.D. Robinson)

- 69) Catalysis by phosphine cobalt carbonyl complexes V. Kinetics of homogeneous cyclohexene hydrogenation catalysed by  $\text{CoH}(\text{CO})_2[\text{P}(\text{n-C}_4\text{H}_9)_3]_2$

**J. Organomet. Chem., 43, 213 (1972)**

- 70) Optically active complexes of Schiff bases. Part I. Synthesis and properties of optically active tetradentate Schiff bases.

**Gazz. Chim. It., 102, 855 (1972)**  
(con M. Gullotti, A. Pasini, P. Fantucci e R.D. Gillard)

- 71) A kinetic investigation of some electronic and steric factors in oxidative reactions to Vaska's compound.

**J. Am. Chem. Soc., 94, 7364 (1972)**  
(con A. Pasini, A. Fusi e S. Cenini)

- 72) Optically active complexes of Schiff bases. Part II. Co(II) complexes with tetradentate salicylaldehyde Schiff bases and their reactivity with oxygen.

**J. Chem. Soc. Dalton, 754 (1973)**  
(con C. Busetto, F. Cariati, A. Fusi, M. Gullotti, F. Morazzoni, A. Pasini e V. Valenti)

- 73) Catalysis by palladium salts, II. The preparation and properties of some olefin complexes of palladium(II).

**J. Organomet. Chem., 47, 165 (1973)**  
(con G. Pregaglia, F. Conti e B. Minasso)

- 74) Catalysis by palladium salts, III. The reaction with organic substrates of para-benzoquinone  $\pi$ -bonded to palladium(0).

**J. Organomet. Chem., 54, 357 (1973)**  
(con P. Roffia, F. Conti, G. Gregorio e G. Pregaglia)

- 75) Catalysis by palladium salts, IV. Selective hydrogenation with formic acid in the palladium catalysed dimerisation of 1,3-butadiene; synthesis of 1,7-octadiene.

**J. Organomet. Chem., 55, 405 (1973)**  
(con P. Roffia, G. Gregorio, F. Conti e G.F. Pregaglia)

- 76) Coordination and chemisorption: A new kind of photochemical excitation.

**"Catalysis" Ed. Hightower, Volume 1, 19 (1973)-  
Proceeding V Int. Catalysis Conference, Palm Beach,  
1972**

- 77) Catalysis by palladium salts, V. Synthesis of anthraquinones from p-benzoquinone and mono-olefins.

**J. Organomet. Chem., 56, 391 (1973)**  
(con P. Roffia, F. Conti, G. Gregorio e G.F. Pregaglia)

- 78) La Catalyse Homogène.

**La Recherche, 4, 967 (1973)**

- 79) Homogeneous catalysis by transition metal complexes, III. A new cobaltocyanide catalyst for selective homogeneous hydrogenation of dienes.

**Annals of the New York Academy of Sciences, 214, 62  
(1973)**  
(con J.D. Gilbert, M. Gullotti, A. Fusi, A. Pasini e F. Conti)

- 80) Catalysis by phosphine cobalt carbonyl complexes VI. An investigation of solvent effects in the hydroformylation of propene.

**La Chimica e l'Industria, 55, 203 (1973)**  
(con G.F. Pregaglia, A. Andreetta, G. Gregorio, G.F. Ferrari e G. Montrasi)

- 81) Catalysis by palladium salts, VII. Role of protonic substances in the dimerization of butadiene to 1,3,7-octadiene.

**Reaction kinetics and catalysis letters, 1, 129 (1974)**  
(con P. Roffia, F. Conti, G. Gregorio e G.F. Pregaglia)

- 82) Catalysis by palladium salts, VI. An investigation of straight chain olefin isomerization in aprotic solvents.

**J. Organomet. Chem., 70, 107 (1974)**  
(con F. Conti, L. Raimondi e G.F. Pregaglia)

- 83) Selective homogeneous hydrogenation of conjugated diolefins to mono olefins catalyzed by some rhodium phosphine complexes.

**J. Organomet. Chem., 70, 89 (1974)**  
(con G.F. Pregaglia, G.F. Ferrari, A. Andreetta, G. Capparella e F. Genoni)

- 84) Homogeneous catalysis by transition metal complexes, IV. The use of mixed catalysis in the oxidation of cyclohexene.

**J. of Catalysis, 34, 175 (1974)**  
(con A. Fusi e G.M. Zanderighi)

- 85) The synthesis and properties of complexes containing heteronuclear two center transition metal bonds. The reaction of cobalt, rhodium or iridium carbonyl anion species with dihalide complexes of nickel, palladium or platinum.

**Gazz. Chim. It., 104, 1161 (1974)**  
(con S. Cenini e B. Ratcliff)

- 86) The contribution of organometallic chemistry and homogeneous catalysis to the understanding of surface reactions.

**Cat. Rev., 11, 225 (1975)**

- 87a) A kinetic investigation on the insertion of organic carbonyl groups into the dioxygen adduct of bistrisphenylphosphine platinum(0).

**Inorg. Nucl. Chem. Lett., 12, 729 (1976)**  
(con G.M. Zanderighi, A. Fusi e Y. Ben Taarit)

- 87b) A kinetic investigation of the insertion of ketones into the dioxygen

adduct Pt(PPh<sub>3</sub>)<sub>2</sub>O<sub>2</sub>.

**J. Am. Chem. Soc., 102, 3745 (1980)**  
(con G.M. Zanderighi, A. Fusi e D. Carreri)

88) Oxygenation of the nitrosyl ligand in complexes of nickel and platinum.

**J.Chem.Soc.Chem.Comm., 694 (1976)**  
(con S. Bhaduri, F.G. Johnson, A. Khair, A. Pickard e Y. Ben Taarit)

89) Sviluppi della Catalisi Omogenea e della Chimica Organometallica a fini applicativi.

**La Chimica e l'Industria, 58, 631 (1976)**

90) Optically active complexes of Schiff bases. Part III. Complexes of iron(III) with quadridentate Schiff bases derived from salicylaldehyde.

**J. Chem. Soc. Dalton, 339 (1977)**  
(con M. Gullotti, L. Casella e A. Pasini)

91) Optically active complexes of Schiff bases. Part IV. An analysis of circular dichroism spectra of some complexes of different co-ordination numbers with quadridentate Schiff bases of optically active diamines.

**J. Chem. Soc. Dalton, 346 (1977)**  
(con A. Pasini e M. Gullotti)

92) Catalysis by palladium salts, VIII. An easy synthesis of zerovalent palladium and platinum triphenylphosphine catalysts by reduction with alkaline alkoxides.

**J. Mol. Catalysis, 2, 191 (1977)**  
(con P. Roffia, G. Gregorio, F. Conti e G.F. Pregaglia)

93) Optically active complexes of Schiff bases. Part V. An investigation of some solvent and conformational effects on the equilibrium between cobalt(II) Schiff-base complexes and dioxygen.

**J. Chem. Soc. Dalton, 757 (1977)**  
(con E. Cesarotti, M. Gullotti e A. Pasini)

- 94) Stability constants of 1:1 pyridine adducts of square planar cobalt(II) saldiamines derivatives.

**Inorg.Nucl.Chem.Lett., 13, 511 (1977)**  
**(con L.I. Simandi, Z. Szeverernji, A. Pasini, P.Bianchi e P. Balzarini)**

- 95) Structure and electronic relations between molecular clusters and small particles: an essay to the understanding of very dispersed metals.

**Aspects of Homog.Cat.,Vol.3, 137 (1977)**  
**(con J.M. Basset)**

- 96) Oxidation reactions of olefins in the homogeneous and heterogeneous phase: mechanisms of dioxygen activation and selective transfer.

**Colloques Internationaux du CNRS, 281, 133 (1977)**

- 97) Homogeneous catalysis by transition metal complexes. Part V. Hydroformylation of 1-octene catalysed by  $[\eta^5\text{-C}_5\text{H}_5\text{M}(\text{CO})_2]$  species (M = Fe,Ru).

**J. Mol. Catalysis, 4, 205 (1978)**  
**(con E. Cesarotti, A. Fusi e G.M. Zanderighi)**

- 98) Hydrocarbon formation from metal carbonyl clusters supported on highly divided oxides.

**J. Am. Chem. Soc., 100, 2590 (1978)**  
**(con A.K. Smith, A. Theolier, J.M. Basset, D. Commereuc e Y.Chauvin)**

- 99) Surface supported metal clusters carbonyls. Chemisorption, decomposition and reactivity of  $\text{Rh}_6(\text{CO})_{16}$  supported on silica.

**J. Organomet. Chem., 153, 73 (1978)**  
**(con J.L. Bilhou-Bougnol, W.F. Graydon, J.M. Basset, A.K. Smith e G.M. Zanderighi)**

- 100) Catalysis by phosphine cobalt carbonyl complexes VII. Kinetic studies of the disproportionation under CO to inactive ion species of the olefin hydroformylation catalyst  $[\text{Co}(\text{CO})_3\text{PR}_3]_2$ .

**Nouv. J. Chem., 2, 463 (1978)**  
**(con A. Andreetta, G. Montrasi, G.F. Ferrari e G.F. Pregaglia)**

101a) Isolation of intermediates in the acid hydrolysis of  $\text{Pt}(\text{PPh}_3)_2\text{O}_2$ : the X-ray structure of  $[\text{Pt}_2(\text{O}_2)(\text{OH})_2(\text{PPh}_3)_4]\text{ClO}_4 \cdot 2\text{C}_6\text{H}_6$ .

**J. Chem. Soc. Chem. Comm., 991 (1978)**  
(con S. Bhaduri, P.B. Raithby, C. Zuccaro, M. Hursthouse e L. Casella)

101b) Zerovalent platinum chemistry. Part XI. A peroxo-bridged binuclear platinum complex obtained by protonation of  $[\text{Pt}(\text{O}_2)(\text{PPh}_3)_2]$ ; the crystal structure of  $[\text{Pt}_2(\text{O}_2)(\text{OH})(\text{PPh}_3)_4]\text{ClO}_4 \cdot 2\text{C}_6\text{H}_6$ .

**J. Chem. Soc. Dalton, 1624 (1979)**  
(con S. Bhaduri, L. Casella, P.R. Raithby, C. Zuccaro e M.B. Hursthouse)

102a) Complexes with chiral alkyl cyclopentadienyl ligands for homogeneous catalytic asymmetric hydrogenation of 2-phenyl-1-butene.

**Angew. Chem. Int. Ed., 18, 779 (1979)**  
(con E. Cesarotti e H.B. Kagan)

102b) Chiral cyclopentadienyl as ligands in homogeneous asymmetric catalysis. Part I. Asymmetric hydrogenation of simple olefins by Ti(IV) complexes.

**J. Mol. Catalysis, 12, 63 (1981)**  
(con E. Cesarotti e R. Vitiello)

103) Surface supported metal cluster carbonyls. Chemisorption decomposition and reactivity of  $\text{Rh}_6(\text{CO})_{16}$  supported on alumina, silica-alumina and magnesia.

**Inorg. Chem., 18, 3104 (1979)**  
(con A.K. Smith, F. Hugues, A. Theolier, J.M. Basset, G. M. Zanderighi, J. L. Bilhou, V. Bilhou-Bougnol e W.F. Graydon)

104) Supported metal carbonyl clusters: Decomposition to metals and reactivity.

**Fund. Research in Hom.Cat., Ed. M. Tsutsui, Vol. 3, 579 (1979).**  
**Proceeding of 1<sup>st</sup> International Symposium on Homogeneous Catalysis, Corpus Christi (1978)**  
(con J.M. Basset, A. Theolier, A.K. Smith, R. Psaro e

**G.M. Zanderighi)**

- 105) A view of some aspects on the nucleophilic character of O<sub>2</sub> in Pt(PPh<sub>3</sub>)<sub>2</sub>O<sub>2</sub> and related dioxygen complexes.

**J. Mol. Catalysis, 7, 51 (1980)  
(con A. Fusi, G.M. Zanderighi e L. Casella)**

- 106) The thermal decomposition to metal of some neutral carbonyl clusters: a thermogravimetric and infrared investigation.

**J. Mol. Catalysis, 7, 511 (1980)  
(con R. Psaro, A. Fusi, J.M. Basset, A.K. Smith e F. Hugues)**

- 107) Surface supported metal cluster carbonyls. Chemisorption, decomposition and reactivity of Rh<sub>4</sub>(CO)<sub>12</sub> supported on silica and alumina.

**J. Organomet. Chem., 191, 415 (1980)  
(con A. Theolier, A.K. Smith, M. Leconte, J.M. Basset, G.M. Zanderighi e R.Psaro)**

- 108a) Surface supported metal cluster carbonyls. The surface organometallic chemistry of polymetallic and monometallic osmium carbonyl species formed by depositing various osmium clusters on silica and alumina.

**J. Organomet. Chem., 192, C31 (1980)  
(con A.K. Smith, B. Besson, J.M. Basset, R.Psaro e A. Fusi)**

- 108b) I.R. and E.X.A.F.S. Characterisation of supported osmium cluster carbonyls.

**J. Chem. Soc. Chem. Comm., 569 (1980)  
(con B. Besson, M. Moraweck, A.K. Smith, J.M. Basset, R. Psaro e A. Fusi)**

- 108c) Surface supported metal cluster carbonyls. Chemisorption, decomposition and reactivity of Os<sub>3</sub>(CO)<sub>12</sub>, H<sub>2</sub>Os<sub>3</sub>(CO)<sub>10</sub> and Os<sub>6</sub>(CO)<sub>18</sub> supported on silica and alumina and the investigation of the Fischer-Tropsch catalysis with these systems.

**J. Organomet. Chem., 213, 215 (1981)  
(con R. Psaro, G.M. Zanderighi, B. Besson, A.K. Smith e J.M. Basset)**

- 109) Reactions of amino-acids coordinated to metal ions. Part I. Investigation of the condensation of formaldehyde and metal-coordinated glycine.

**J. Chem. Soc. Dalton, 1655 (1980)**  
(con L. Casella, A. Pasini e M. Visca)

- 110) Homogeneous catalysis by transition metal complexes. Part VI : hydroformylation of 1-octene catalysed by  $[\eta^5\text{-C}_5\text{H}_5\text{M}(\text{CO})_2\text{X}]$  and  $[\eta^5\text{-C}_5\text{H}_5\text{M}(\text{CO})_2]_2$  species (R = H, CH<sub>3</sub>, C<sub>6</sub>H<sub>5</sub>; M = Fe, Ru; X = Cl, Br, I)

**J. Mol. Catalysis, 10, 213 (1981)**  
(con A. Fusi e E. Cesarotti)

- 111) The investigation of the catalytic system in the hydrogenation of alkenes catalysed by the complex  $[\text{Rh}(\text{NO})(\text{PPh}_3)_2\text{L}]$  (L = parabenzoquinone).

**Gazz. Chim. It., 111, 293 (1981)**  
(con S. Cenini e F. Porta)

- 112) Optically active complexes of Schiff bases. Part VI. Palladium(II) and platinum(II) complexes with quadridentate Schiff bases of salicylaldehyde.

**J. Chem. Soc. Dalton, 2147 (1981)**  
(con E. Cesarotti e A. Pasini)

- 113) The electronic structure of small clusters. Part IV: AB INITIO calculations of the potential energy surfaces for the interaction of molecular hydrogen with small  $\text{Li}_n$  (n=3,4,5) clusters.

**J. Mol. Catalysis, 13, 339 (1981)**  
(con P. Fantucci, G. Pacchioni e J. Fernandez-Rico)

- 114) The stereochemical properties of the "Schwartz's Reagent"  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{H})\text{Cl}$  in the reduction of cyclic ketones to the alcohols.

**Inorg. Chim. Acta, 64, L207 (1982)**  
(con E. Cesarotti, A. Chiesa e S. Maffi)

- 115) A discussion of the different kinds of solute-solute and solute-solvent interactions acting in homogeneous catalysis by transition metal complexes.

**Coord. Chem. Rev., 43, 275 (1982)**  
(con E. Cesarotti)

116a) Homogeneous catalysis with transition metal complexes. Part VII. Heteronuclear platinum clusters as hydrogenation catalysts of carbon-carbon multiple bonds.

**J. Mol. Catalysis, 16, 217 (1982)**  
(con A. Fusi, R. Psaro, P. Braunstein e J. Dehand)

116b) The homogeneous hydrogenation of carbon-carbon multiple bonds with heteronuclear platinum clusters.

**Phil. Trans. R. Soc. London, A, 308, 125 (1982)**  
(con A. Fusi, R. Psaro, P. Braunstein e J. Dehand)

117) Complexes of platinum(II) with chiral diamines and guanosine. Stereochemical investigation related to the mechanism of the antitumor activity of *cis*-bis(amine)platinum(II) complexes.

**Inorg. Chem., 21, 2006 (1982).**  
(con M. Gullotti, G. Pacchioni e A. Pasini)

118a) The characterisation and thermal stability of a cluster  $\text{HRu}_3(\text{CO})_{10}(\text{O}-\text{Si}\equiv)$  grafted on silica surface.

**Polyhedron, 2, 119 (1983)**  
(con A. Theolier, A. Choplin, L. D'Ornelas, J.M. Basset, G.M. Zanderighi, R. Psaro e C. Sourisseau)

118b) Surface supported metal cluster carbonyls. Chemisorption, reactivity and decomposition of  $\text{Ru}_3(\text{CO})_{12}$  on silica.

**J. Organomet. Chem., 296, 127 (1985)**  
(con G.M. Zanderighi, C. Dossi, R. Psaro, A. Theolier, A. Choplin, L. D'Ornelas e J.M. Basset)

119) An easy preparation with full characterization of  $\text{Pd}_6\text{Cl}_{12}$ : a form of palladium chloride soluble in aromatic solvents.

**Inorg. Chem., 22, 1395 (1983)**  
(con A. Yatsimirski)

120) Transition metal carbonyl cluster chemistry: some new aspects of carbon monoxide catalysis.

**J. Mol. Catalysis, 20, 53 (1983)**  
**(con R. Psaro)**

- 121) Surface supported metal cluster carbonyls: an investigation of the behaviour of  $\text{Os}_3(\text{CO})_{12}$  supported on highly decarbonated magnesia.

**J. Mol. Catalysis, 21, 331 (1983)**  
**(con R. Psaro e C. Dossi)**

- 122) Enantiomeric cis - platinum analogues: an investigation on their activity towards tumors in mice.

**Inorg. Chim. Acta, 91, 223 (1984)**  
**(con M. Gullotti, A. Pasini, S. Filippeschi, L. Marmonti e F. Spreafico)**

- 123) Supported clusters and mechanism of CO reaction.

**Fund. Research in Hom. Cat. (Eds. M. Graziani and M. Giongo)-Vol. 4, 19 (1984). Proceeding of 3rd International Symposium on Homogeneous Catalysis, Milano (1982)**  
**(con J.M. Basset, B. Besson, A. Choplin, F. Hugues, M. Leconte, D. Rojas, A.K. Smith, A. Theolier, Y. Chauvin, D. Commereuc, R. Psaro e G.M. Zanderighi)**

- 124) The easy catalytic reduction of  $\text{HClO}_4$ ,  $\text{HNO}_3$  and  $\text{H}_5\text{IO}_6$  by CO in the presence of  $\text{Pd}_3(\text{O}_2\text{CMe})_6$ .

**J. Chem. Soc. Dalton, 1971 (1985)**  
**(con A. Chiesa e A. Yatsimirski)**

- 125) Catalysis by palladium salts. Part X. An investigation of the factors acting on the palladium catalysed oxidative carbonylation of aryl mercury compounds.

**J. Organomet. Chem., 279, 215 (1985)**  
**(con A. Chiesa)**

- 126a) Surface supported metal carbonyl clusters: catalysis for 1-butene isomerisation.

**Homogeneous and Heterogeneous Catalysis (Eds. Yo. Yermakov and L. Likholobov) 1093 (1986), Publ. NVU Science Press, Utrecht Proceeding of V International Symposium on Relation between Homogeneous and**

**Heterogeneous Catalysis- Novosibirsk (1986)**  
(con R. Psaro, C. Dossi, A. Fusi, G.M. Zanderighi, P. Doldi, V. Ragaini e R. Zanoni)

126b) A molecular approach to heterogeneous catalysis. Part II. Isomerization at 115°C of But-1-ene catalyzed by silica anchored osmium carbonyls.

**J. Catalysis, 123, 181 (1990)**  
(con C. Dossi, A. Fusi, R. Psaro, E. Grilli e R. Zanoni)

127) Metal clusters on unfunctionalized inorganic oxides.

**Metal Clusters in Catalysis (Eds. B.C. Gates, L. Guzzi and H. Knozinger) 427 (1986), Publ. Elsevier**  
(con R. Psaro)

128) A highly selective synthesis of  $R_2SnX_2$  (R = alkyl, X = Br, Cl) species directly from tin and alkylhalides.

**J. Organomet. Chem., 330, 25 (1987)**  
(con A. Chiesa e A. Fusi)

129) La chimica fine e secondaria in Italia. Problemi e prospettive.

**Chimica Oggi, settembre, 75 (1987)**

130) Catalysis by palladium salts. Part XI. Palladium-catalysed carboxylation with carbon monoxide of aromatic compounds working under mild conditions.

**J. Chem. Soc. Perkin Trans I, 2625 (1987)**  
(con A. Chiesa)

131) La chimica analitica nell'industria chimica: un ruolo in sviluppo.

**La Chimica e l'Industria, 69, 80 (1987)**  
(con E. Santoro)

132a) Hydrogen transfer reduction of hexan-2-one catalysed by a silica surface-grafted osmium cluster.

**J. Mol. Catalysis, 44, 183 (1988)**  
(con J. Kaspar, A. Trovarelli, M. Graziani, C. Dossi, R. Psaro, G.M. Zanderighi, M. Lenarda e R. Ganzerla)

132b) A molecular approach to the hydrogen transfer reduction of ketones

catalyzed by silica supported osmium carbonyls.

**J. Mol. Catal., 51, 181 (1989)**  
(con J. Kaspar, A. Trovarelli, M. Graziani, C. Dossi, A. Fusi e R. Psaro).

- 133) FTIR, XPS and TPD studies on the thermal decomposition of  $\text{Os}_3(\text{CO})_{12}$ /silica: a multitechnique approach to the resolution of some controversial problems.

**Catalysis Today, 2, 585 (1988)**  
(con C. Dossi, A. Fusi, E. Grilli, R. Psaro e R. Zanoni)

- 134) High-tech management in the chemical sector: the Montedison case.

**European Management J., 6, 160 (1988)**

- 135) Una analisi della posizione competitiva della chimica europea nell'area tecnologica.

**Chimica Oggi, Dossier La Chimica in Europa, Luglio/Agosto (1988).**

- 136) Surface-supported metal carbonyls clusters; an IR investigation of the behaviour of  $\text{Rh}_6(\text{CO})_{16}$  supported on highly decarbonated magnesium oxide.

**J. Organomet. Chem., 353, 259 (1988)**  
(con C. Dossi e R. Psaro)

- 137)  $[\text{Rh}(\text{CO})_2\text{X}]_2$  (X = Cl,  $\text{CH}_3\text{COO}$ ) species supported on highly decarbonated magnesium oxide: observation of a strong effect of the chloride ion on the surface organometallic chemistry.

**J. Organomet. Chem., 359, 105 (1989)**  
(con C. Dossi e R. Psaro)

- 138) Surface reactivity under oxygen atmosphere of  $\text{Os}_3(\text{CO})_{12}$  supported on silica and alumina.

**Structure and Reactivity of Surfaces (Eds. A. Zecchina, G. Costa and C. Morterra), Elsevier, Amsterdam, 375 (1989).**  
(con C. Dossi, A. Fusi, R. Psaro e R. Zanoni).

- 139) Reforming-type catalysis with zeolite-supported PtRe.  
**Energy & Fuel, 3, 468 (1989).**  
(con C. Dossi, C.M. Tsang, W.M.H. Sachtler e R. Psaro)
- 140) I cluster molecolari metallici e la chimica di superficie: l'interfaccia per catalizzatori ibridi.  
**Atti Accademia dei Lincei, LXXXIII, 423 (1989)**
- 141) Catalysis by palladium salts. Part XII. Regioselective palladium catalysed carboxylation with CO of furan and thiophen working at room temperature and under one atmosphere of CO pressure.  
**J.Mol.Catalysis, 59, 23 (1990)**  
(con A. Chiesa, R. Psaro e P. Nardi)
- 142) Isolation and characterisation by X-ray studies of palladium  $\mu_2$ -nitrosyl clusters in the reduction of nitric acid by carbon monoxide mediated by palladium acetate.  
**J.Chem.Soc.Chem.Comm., 350 (1990)**  
(con A. Chiesa, A. Sironi e A. Yatsimirski)
- 143) Surface-mediated synthesis of  $H_4M_4(CO)_{12}$  (M = Ru,Os) on hydroxylated silica.  
**Inorg. Chem., 29, 4368 (1990)**  
(con C. Dossi, R. Psaro, D. Roberto e G.M.Zanderighi)
- 144) Zerovalent platinum chemistry. Part XII. The unexpected reactivity of  $Pt(PPh_3)_2O_2$  towards ortho and para quinones and the structures of one to one adducts with para-benzoquinone and para-naphthoquinone.  
**J. Chem. Soc. DaltonTrans., 65 (1991)**  
(con M. Pizzotti, S. Cenini e F. Demartin)
- 145) The story of silica-supported  $Os_3(CO)_{12}$ : a molecular approach to heterogeneous catalysis.  
**Research on Chemical Intermediates, 15, 31 (1991)**  
(con R. Psaro, C. Dossi e A. Fusi)
- 146) Catalysis by palladium salts. Part XIII. The reductive carbonylation of

nitroaromatic compounds to isocyanates with Pd<sup>II</sup> and Pd<sup>0</sup> complexes as homogeneous catalysts.

**J. Organomet. Chem., 417, 211 (1991)**  
(con R. Psaro, M. Pizzotti, P. Nardi, C. Dossi, A. Andreetta e G. Capparella)

- 147) Surface organometallic chemistry: a molecular approach to heterogeneous catalysis and a new perspective for the synthesis of metal carbonyl clusters.

**Materials Chemistry and Physics, 29, 191 (1991)**  
(con C. Dossi, A. Fusi, R. Psaro e D. Roberto)

- 148) Metal carbonyl clusters supported on inorganic oxides: a new approach to tailored heterogeneous catalysts.

**Advances in Catalyst Design, (Eds. M. Graziani and CNR Rao, Publ., 191 (1991), World Scientific Publ.**  
(con C. Dossi, A. Fusi e R. Psaro)

- 149) Ethylene hydroformylation with the silica-supported K<sub>2</sub>[Rh<sub>12</sub>(CO)<sub>30</sub>] cluster: evidence for vapor-phase cluster catalysis.

**Catalysis Letters, 11, 335 (1991)**  
(con C. Dossi, A. Fusi, L. Garlaschelli, D. Roberto e R. Psaro)

- 150) Surface organometallic chemistry: physisorption and thermal decomposition of Ir<sub>4</sub>(CO)<sub>12</sub> on silica.

**J. Chem. Soc., Faraday Trans., 88(3), 369 (1992)**  
(con R. Psaro, C. Dossi, A. Fusi, R. Della Pergola, L. Garlaschelli, D. Roberto, L. Sordelli e R. Zandoni)

- 151) Supported metal carbonyl clusters and catalysis.

**La Chimica e l'Industria, 74, 154 (1992)**  
(con R. Psaro, C. Dossi e L. Sordelli)

- 152a) Mono- or polynuclear surface species: models and tendencies with cobalt and rhodium.

**J. Mol. Catalysis, 74, 51 (1992)**

(con G. Palyi, C. Zucchi, R. Psaro e A. Sironi)

152b) Models of rhodium complexes bound to silica: preparation, structure and interconversion of dinuclear (silyloxy)rhodium complexes.

**Inorg. Chem., 33, 4600 (1994)**

(con A. Vizi-Orosz, R. Psaro, A. Sironi, M. Moret, C. Zucchi, F. Ghelfi e G. Pályi)

153) Surface organometallic chemistry: reductive carbonylation of silica-supported  $MCl_3 \cdot 3H_2O$  ( $M = Rh, Ir$ )

**J. Mol. Catalysis, 74, 391 (1992)**

(con R. Psaro, D. Roberto, C. Dossi e A. Fusi)

154) A new method of synthesis of  $\alpha$ -arylpropionic acids involving copper homogeneous catalysis.

**Gazz. Chim. It., 122, 511 (1992)**

(con P. Nardi, R. Psaro e D. Roberto)

155) Heterogeneous ethylene hydroformylation catalyzed by oxide-supported rhodium carbonyl  $[Rh_{12}(CO)_{30}]^{2-}$  anion: influence of the nature of the support.

**Studies in Surface Science and Catalysis, 75, 2345 (1993)**

(con C. Dossi, A. Fusi, L. Garlaschelli e R. Psaro)

156) Homogeneous catalysis in Italy.

**Chimica e l'Industria, 75, 98 (1993)**

157) Surface mediated organometallic synthesis: high-yield preparations of  $[Ir(CO)_3Cl]_n$ ,  $[Rh(CO)_2Cl]_2$ ,  $[Ru(CO)_3Cl_2]_2$ ,  $[Os(CO)_3Cl_2]_2$ ,  $[Ir_4(CO)_{12}]$  and  $[Rh_6(CO)_{16}]$  by reductive carbonylation, under mild conditions, of silica supported metal chlorides.

**Organometallics, 12, 2292 (1993)**

(con D. Roberto e R. Psaro)

158) Surface organometallic chemistry: reductive carbonylation of silica

supported RuCl<sub>3</sub>·3H<sub>2</sub>O

**J. Organomet. Chem., 451, 123 (1993)**  
(con D. Roberto e R. Psaro)

- 159) Intermediates and isomers in the substitution of cobalt carbonyl hydride with tertiary phosphorus ligands.

**Catalysis Letters, 19, 383 (1993)**  
(con T. Batik, T. Krummling, B. Happ, A. Sieker, L. Markò, R. Boese, C. Zucchi e G. Pályi)

- 160) Non acidic Pd/Y zeolite catalysts from organopalladium precursors: preparation and catalytic activity in MCP reforming.

**J. Catalysis, 149, 92 (1994)**  
(con C. Dossi, R. Psaro, Z.C. Zhang e W.M.H. Sachtler)

- 161) Surface mediated organometallic synthesis: high-yield synthesis of the anion [H<sub>3</sub>Os<sub>4</sub>(CO)<sub>12</sub>]<sup>-</sup> from [Os(CO)<sub>3</sub>Cl<sub>2</sub>]<sub>2</sub> or OsCl<sub>3</sub> on the silica surface in the presence of K<sub>2</sub>CO<sub>3</sub>

**Organometallics, 13, 734 (1994)**  
(con D. Roberto, E. Cariati e R. Psaro)

- 162) Siloxane clusters of higher valence transition metals: redox properties.

**J. Organomet. Chem., 467, 165 (1994)**  
(con G. Gavioli, M. Borsari, C. Zucchi, G. Pályi, R. Psaro, O.I. Shchegolikhina e A.A. Zhdanov)

- 163) Chemical vapour deposition of platinum hexafluoroacetylacetonate inside a KL zeolite: a new route to nonacidic platinum-in-zeolite catalysts.

**J. Catalysis, 145, 377 (1994)**  
(con C. Dossi, R. Psaro, A. Bartsch, A. Fusi, L. Sordelli, M. Bellatreccia, R. Zanoni e G. Vlaic)

- 164) Surface organometallic chemistry: reductive carbonylation of OsCl<sub>3</sub>·3H<sub>2</sub>O supported on silica.

**J. Mol. Catalysis, 86, 109 (1994)**  
(con D. Roberto e R. Psaro)

- 165) Formation of  $[\text{Ir}(\text{CO})_2\text{Cl}]_x$  ( $x=2,n$ ) species by mild carbonylation of  $[\text{Ir}(\text{cyclooctene})_2\text{Cl}]_2$  supported on silica or in solution: a new convenient material for the synthesis of iridium(I) carbonyl complexes.

**Organometallics, 13, 4227 (1994)**  
(con D. Roberto, E. Cariati e R. Psaro)

- 166) Manganese-promoted rhodium NaY zeolite catalysts. An IR spectroscopic study.

**J. Chem. Soc. Faraday Trans., 90(9), 1335 (1994)**  
(con T. Beutel, H. Knözinger, H. Treviño, Z.C. Zhang, W.M.H. Sachtler, C. Dossi e R. Psaro)

- 167) Surface organometallic chemistry: the easy conversion of  $[\text{Ir}_6(\text{CO})_{16}]$  supported on silica into  $[\text{Ir}_4(\text{CO})_{12}]$ .

**J. Organomet. Chem., 408, 109 (1995)**  
(con D. Roberto, E. Cariati e R. Psaro)

- 168) Bimetallic siloxane cluster of higher valent transition metals:  $\text{Na}\{[\eta^6\text{-cyclo}-(\text{PhSiO}_2)_6]_2(\text{Co}_2\text{Ni}_4(\mu_6\text{-Cl}))\}$

**J. Organomet. Chem., 485, 257 (1995)**  
(con G. Gavioli, R. Battistuzzi, P. Santi, C. Zucchi, G. Pályi, A. Vizi-Orosz, O.I. Shchegolikhina, Yu.A. Podziakova, S.V. Lindeman e A.A. Zhdanov)

- 169) Surface organometallic chemistry: the surface species  $[\text{HOs}_3(\text{CO})_{10}(\text{OSi}\equiv)]$  as a reactive intermediate in the silica-mediated synthesis of various osmium carbonyl clusters starting from  $[\text{Os}_3(\text{CO})_{12}]$ .

**Gazz. Chim. It., 125, 133 (1995)**  
(con D. Roberto e M. Pizzotti)

- 170) Surface organometallic chemistry: the potential involvement of surface bound  $[\text{HOs}_3(\text{CO})_{10}(\text{OSi}\equiv)]$  and physisorbed  $[\text{HOs}_3(\text{CO})_{10}(\text{OH})]$  as intermediates in the silica-mediated synthesis of various neutral and

anionic osmium carbonyl clusters.

**Gazz. Chim. It., 126, 339 (1996)**  
(con E. Cariati e D. Roberto)

- 171) Surface mediated organometallic synthesis: high-yield preparations of neutral and anionic osmium carbonyl clusters by controlled reduction of silica supported  $[\text{Os}(\text{CO})_3\text{Cl}_2]_2$  and  $\text{OsCl}_3$  in the presence of  $\text{Na}_2\text{CO}_3$  or  $\text{K}_2\text{CO}_3$ .

**Inorg. Chem., 35, 2311 (1996)**  
(con D. Roberto, E. Cariati e R. Psaro)

- 172) Cyclooligosiloxanolate cluster complexes of transition metals and lanthanides.

**J. Mol. Catalysis A, 107, 313 (1996)**  
(con C. Zucchi, O.I. Shchegolikhina, M. Borsari, A. Cornia, G. Gavioli, A.C. Fabretti, E. Reutschler, D. Gatteschi, R. Psaro, Yu.A. Pozdniakova, S.V. Lindeman, A.A. Zhdanov e G. Palyi)

- 173) Cyclosiloxane sandwich complex of a lanthanide metal:  $\text{Na}_6\{[\text{C}_6\text{H}_5\text{SiO}_2]_8\}_2\text{-Nd}_4(\mu\text{-O})\}$ .

**J. Organomet. Chem., 514, 29 (1996)**  
(con O.I. Shchegolikhina, Yu.A. Pozdniakova, S.V. Lindeman, A.A. Zhdanov, R. Psaro, G. Gavioli, R. Battistuzzi, M. Borsari, T. Ruffer, C. Zucchi e G. Palyi)

- 174) Molecular metal carbonyl clusters and volatile organometallic compounds for tailored mono and bimetallic heterogeneous catalysts.

**J. Mol. Catalysis A, 107, 13 (1996)**  
(con C. Dossi e R. Psaro)

- 175) New water soluble ruthenium(II) and osmium(II) hydroxo carbonyl complexes.

**Organometallics, 15, 4122 (1996)**  
(con E. Cariati, E. Lucenti, M. Pizzotti e D. Roberto)

- 176) Functional modeling of tyrosinase. Mechanism of phenol ortho-hydroxylation by dinuclear copper complexes.

**Inorg. Chem., 35, 7516 (1996)**  
(con L. Casella, E. Monzani, M. Gullotti, D. Cavagnino,

**G. Cerina e L. Santagostini)**

- 177) Electrochemical behaviour of oligometallic sandwich complexes of cyclosiloxanolate ligands.

**Inorg. Chim. Acta, 258, 139 (1997)**  
(con M. Borsari, G. Gavioli, C. Zucchi, G. Palyi, R. Psaro, O.I. Shchegolikhina e A.A. Zhdanov)

- 178) Surface-mediated organometallic synthesis: high-yield and selective syntheses of neutral and anionic ruthenium carbonyl clusters by controlled reduction of silica-supported  $\text{RuCl}_3$  in the presence of  $\text{Na}_2\text{CO}_3$  or  $\text{K}_2\text{CO}_3$ .

**Organometallics, 16, 4531 (1997)**  
(con D. Roberto, E. Cariati, E. Lucenti e M. Respini)

- 179) Surface-mediated organometallic synthesis: the activating role of silica for a high-yield route to  $[\text{H}_4\text{Os}_4(\text{CO})_{12}]$  and  $[\text{HOs}_3(\text{CO})_{10}\text{Y}]$  ( $\text{Y}=\text{OH}$ , OR, Cl, Br, I,  $\text{O}_2\text{CR}$ , SCN) clusters from  $[\text{Os}_3(\text{CO})_{12}]$ .

**Organometallics, 16, 5974 (1997)**  
(con D. Roberto, E. Lucenti e C. Roveda)

- 180) Synthesis and X-ray powder diffraction characterization of  $(\text{O}_2\text{C})_2\text{RhCl}_2\text{Rh}(\text{cod})$  (cod = cycloocta-1,4-diene).

**J. Chem. Soc. Dalton Trans., 4651 (1997)**  
(con E. Corradi, N. Masciocchi, G. Palyi, A. Vizi-Orosz, C. Zucchi e A. Sironi)

- 181a) Irreversible dinitrogen adsorption on Cu-ZSM-5 catalysts and in situ IR identification of the NO decomposition sites.

**Chem. Comm., 1909 (1997)**  
(con S. Recchia, C. Dossi, A. Fusi, R. Psaro e G. Moretti)

- 181b) Dinitrogen irreversible adsorption on overexchanged Cu-ZSM-5.

**J. Phys. Chem. B, 106, 13326 (2002)**  
(con S. Recchia, C. Dossi, R. Psaro, A. Fusi e G. Moretti)

- 182) Surface organometallic chemistry: the silica surface as an unusual reaction medium for high-yield syntheses of carbonyl clusters and related metal carbonyl compounds.

**Supported Reagents and Catalysts in Chemistry,**  
(Eds: B.K. Hodnett, A.V. Kybett, J.H. Clark, K. Smith)  
**Royal Society of Chemistry, Proceedings Third  
International Symposium on Supported Reagent and  
Catalyst in Chemistry, p. 214-219 (1998)**  
(con E. Cariati, E. Lucenti e D. Roberto)

- 183) Bimetallic cyclooligosiloxanolate complexes of copper and nickel.

**Inorg. Chim. Acta, 280, 282 (1998)**  
(con C. Zucchi, M. Mattioli, A. Cornia, A.C. Fabretti, G.  
Gavioli, M. Pizzotti, Yu. A. Pozdniakova, O.I.  
Shchegolikhina, A.A. Zhdanov e G. Palyi)

- 184) An ab initio MO-LCAO investigation of the electronic structure of organic hydroperoxides and platinum(II) hydroperoxo complexes: a contribution to the knowledge of the mechanism of olefin epoxidation.

**Inorg. Chim. Acta, 270, 479 (1998)**  
(con P.C. Fantucci, S. Lolli e M. Pizzotti)

- 185) Surface mediated organometallic synthesis: high-yield syntheses of  $[\text{Ir}_4(\text{CO})_{12}]$ ,  $[\text{Ir}_6(\text{CO})_{15}]^{2-}$  and  $[\text{Ir}_8(\text{CO})_{22}]^{2-}$  by controlled reduction of silica-supported  $\text{IrCl}_3$  or  $[\text{Ir}(\text{cyclooctene})_2\text{Cl}]_2$  in the presence of  $\text{Na}_2\text{CO}_3$  or  $\text{K}_2\text{CO}_3$ .

**J. Cluster Science, 9, 329 (1998)**  
(con E. Cariati e D. Roberto)

- 186) Surface organometallic chemistry: the understanding of the multistep process of silica mediated synthesis of various osmium carbonyl clusters from supported  $\alpha\text{-}[\text{Os}(\text{CO})_3\text{Cl}_2]_2$ .

**Organometallics, 17, 1266 (1998)**  
(con E. Cariati, P. Recanati e D. Roberto)

- 187) The surface of inorganic oxides: an unusual reaction medium for the high-yield and selective synthesis of various osmium carbonyl clusters.

**In Metal Clusters in Chemistry, (Eds. P. Braunstein,  
L. Oro, P. Raithby) Wiley-VCH Verlag,  
Weinheim, p. 860-876 (1999)  
(con E. Cariati, E. Lucenti e D. Roberto)**

- 188) Novel high-yield method for the synthesis of  $[\text{Os}_3(\text{CO})_{10}(\mu\text{-H})(\mu\text{-OSiR}_2\text{R}')] ]$  species and X-ray characterization of  $[\text{Os}_3(\text{CO})_{10}(\mu\text{-H})(\mu\text{-OSiPh}_2\text{OSiPh}_2\text{OH})]$  and  $[\text{Os}_3(\text{CO})_{10}(\mu\text{-H})(\mu\text{-OSiPh}_2\text{OH})]$ , first molecular models of osmium surface species anchored to vicinal and geminal surface silanols.

**Organometallics, 19, 1051 (2000)  
(con E. Lucenti, D. Roberto, C. Roveda e A. Sironi)**

- 189) Quadratic hyperpolarizability enhancement of *para*-substituted pyridines upon coordination to organometallic moieties: the ambivalent donor or acceptor role of the metal.

**Organometallics, 19, 1775 (2000)  
(con D. Roberto, S. Bruni, E. Cariati, F. Cariati, P.  
Fantucci, I. Invernizzi, S. Quici, I. Ledoux e J. Zyss)**

- 190) Surface organometallic chemistry: easy reductive carbonylation of silica supported  $[\text{Re}(\text{CO})_3(\text{OH})]_4$  to  $[\text{Re}_2(\text{CO})_{10}]$  via silica-anchored  $[\text{Re}(\text{CO})_5(\text{OSi}\equiv)]$  and the thermal behavior of silica-supported  $[\text{Re}_2(\text{CO})_{10}]$ .

**Organometallics, 19, 2564 (2000)  
(con G. D'Alfonso, D. Roberto, C.L. Bianchi e A. Sironi)**

- 191) Chemoselectivity in cyclosiloxanolate cluster formation: an alkali cation effect?

**Eur. J. Inorg. Chem., 1327 (2000)  
(con C. Zucchi, M. Mattioli, G. Gavioli, M. Moret, A.  
Sironi, M. Pizzotti, O.I. Shchegolikhina e G. Palyi)**

- 192) Surface mediated organometallic synthesis: formation of  $[\text{H}_5\text{Os}_{10}(\text{CO})_{24}]^-$  by hydrogenation of silica-supported  $[\text{Os}(\text{CO})_3(\text{OH})_2]_n$  as a springboard for a high-yield synthesis of  $[\text{H}_4\text{Os}_{10}(\text{CO})_{24}]^{2-}$  starting from  $\alpha$ - $[\text{Os}(\text{CO})_3\text{Cl}_2]_2$  and working in ethylene glycol solution.

**J. Cluster Science, 12, 113 (2001)  
(con E. Lucenti, D. Roberto, C. Roveda e E. Cariati)**

- 193) Chemical and thermal behavior of the molecular models  $[\text{Os}_3(\text{CO})_{10}(\mu\text{-H})(\mu\text{-OSiR}_2\text{R}')]$  ( $\text{R} = \text{Et, Ph}$ ;  $\text{R}' = \text{Et, Ph, OH, OSiPh}_2\text{OH}$ ): molecular approach to the clarification of the surface chemistry of the silica-anchored cluster  $[\text{Os}_3(\text{CO})_{10}(\mu\text{-H})(\mu\text{-OSi}\equiv)]$ .

**Organometallics, 20, 1725 (2001)**  
(con E. Lucenti e D. Roberto)

- 194) Surface organometallic chemistry: a new synthesis of  $[\text{Re}_2(\text{CO})_6(\mu\text{-OH})_3]^-$  from  $[\text{Re}(\text{CO})_3\text{OH}]_4$  supported on a silica surface added with  $\text{K}_2\text{CO}_3$ ; evidence of its thermal binding to the surface via  $\text{Re-O-Si}\equiv$  bonds confirmed by the synthesis of the molecular models  $[\text{Re}_2(\text{CO})_6(\mu\text{-OH})_x(\mu\text{-OSiEt}_3)_{3-x}]^-$  ( $x = 0, 1$  or  $2$ ) by reaction of  $[\text{Re}_2(\text{CO})_6(\mu\text{-OH})_3]^-$  with  $\text{Et}_3\text{SiOH}$ .

**Organometallics, 20, 4307 (2001)**  
(con D. Roberto, G. D'Alfonso e M. Vailati)

- 195) J-aggregates granting giant second-order NLO responses in self-assembled hybrid inorganic-organic materials.

**Adv. Materials, 13, 1665 (2001)**  
(con E. Cariati, F. Cariati, D. Roberto, N. Masciocchi,  
S. Galli e A. Sironi)

- 196) Effect of the coordination to  $\text{M}(\text{II})$  metal centers ( $\text{M} = \text{Zn, Cd, Pt}$ ) on the quadratic hyperpolarizability of various substituted 5-X-1,10-phenanthrolines ( $\text{X} = \text{donor group}$ ) and of *trans*-4-dimethylamino-4'-stilbazole.

**Organometallics, 21, 161 (2002)**  
(con D. Roberto, F. Tessore, E. Lucenti, S. Quici, S. Vezza, P. Fantucci, I. Invernizzi, S. Bruni, I. Ledoux-Rak e J. Zyss)

- 197) X-ray structures and emissive and second-order nonlinear optical properties of two inorganic-organic polymeric adducts of  $\text{CuI}$  with 4-acetylpyridine. The role of both "intrastrand" charge transfers and structural motifs on the nonlinear optical response of  $\text{Cu}(\text{I})$  polymeric adducts with pseudoaromatic  $\eta^1$ -nitrogen donor ligands.

**Chem. Mater., 14, 5116 (2002)**  
(con E. Cariati, D. Roberto, P.C. Ford, S. Galli e A. Sironi)

- 198) Organometallic counterparts of push-pull aromatic chromophores for non linear optics: push-pull heteronuclear bimetallic complexes with pyrazine

and *trans*-1,2-bis(4-pyridyl)ethylene as linkers.

**Organometallics, 21, 5830 (2002)**  
(con M. Pizzotti, D. Roberto, S. Bruni, P. Fantucci e C. Rovizzi)

199) The acentric nature of *trans*-stilbazole crystals and the origin of its NLO response.

**New J. Chem., 26, 13 (2002)**  
(con E. Cariati, D. Roberto, V. Srdanov, S. Galli, P. Macchi e A. Sironi)

200a) Terpyridine Zn(II), Ru(III) and Ir(III) complexes as new asymmetric chromophores for nonlinear optics: first evidence for a shift from positive to negative value of the quadratic hyperpolarizability of a ligand carrying an electron donor substituent upon coordination to different metal centres.

**Chem. Comm, 846 (2002)**  
(con D. Roberto, F. Tessore, S. Bruni, A. Manfredi e S. Quici)

200b) Terpyridine Zn(II), Ru(III) and Ir(III) complexes: the relevant role of the nature of the metal ion and of the ancillary ligands on the second order nonlinear response of terpyridines carrying electron donor or electron acceptor groups.

**Inorg. Chem. , 44, 8967 (2005)**  
(con F. Tessore, D. Roberto, M. Pizzotti, S. Quici, M. Cavazzini, S. Bruni e F. De Angelis)

201) A critical evaluation of EFISH and THG non-linear optical responses of asymmetrically substituted *meso*-tetraphenyl porphyrins and their metal complexes.

**Inorg. Chim. Acta, 340, 70 (2002)**  
(con M. Pizzotti, E. Annoni, S. Quici, I. Ledoux-Rak, G. Zerbi, M. Del Zoppo, P. Fantucci e I. Invernizzi)

202) Large, concentration-dependent enhancement of the quadratic hyperpolarizability of  $[Zn(CH_3CO_2)_2(L)_2]$  in  $CHCl_3$  on substitution of acetate by triflate.

**Angew. Chem. Int. Ed., 42, 456 (2003)**  
(con F. Tessore, D. Roberto, P. Mussini, S. Quici, I. Ledoux-Rak e J. Zyss)

- 203) Surface-mediated organometallic synthesis: high-yield syntheses of  $[\text{Rh}_4(\text{CO})_{12}]$ ,  $[\text{Rh}_6(\text{CO})_{16}]$ ,  $[\text{Rh}_5(\text{CO})_{15}]^-$  and  $[\text{Rh}_{12}(\text{CO})_{30}]^{2-}$  by controlled reduction of silica-supported  $\text{RhCl}_3$  or  $[\text{Rh}(\text{CO})_2\text{Cl}]_2$  in the presence of  $\text{CH}_3\text{CO}_2\text{Na}$ ,  $\text{Na}_2\text{CO}_3$  or  $\text{K}_2\text{CO}_3$ .

**Inorg. Chim. Acta, 349, 189 (2003)**  
(con E. Cariati, C. Dragonetti, D. Roberto e E. Lucenti)

- 204) Variable temperature  $^1\text{H}$  NMR and X-ray diffraction characterisation of  $[\text{H}_5\text{Os}_{10}(\text{CO})_{24}]^-$  obtained in reproducible and high yields by hydrogenation of silica-supported  $[\text{Os}(\text{CO})_3(\text{OH})_2]_n$ .

**Inorg. Chim. Acta, 354, 79 (2003)**  
(con T. Beringhelli, E. Cariati, C. Dragonetti, S. Galli, E. Lucenti, D. Roberto e A. Sironi)

- 205) Surface organometallic chemistry: synthesis and X-Ray characterization of novel silanolate surface models  $[\text{Re}_2(\text{CO})_8(\mu\text{-H})(\mu\text{-OSiR}_2\text{R}')]^-$  and of the first models with two homo and hetero metal carbonyl fragments linked to vicinal or geminal silanols.

**Organometallics, 22, 3271 (2003)**  
(con G. D'Alfonso, V. Formaggio, D. Roberto, E. Lucenti e L. Carlucci)

- 206) Unexpected formation of a weak metal-metal bond: synthesis, electronic properties and second-order NLO responses of push-pull late-early heteronuclear bimetallic complexes with  $\text{W}(\text{CO})_3(1,10\text{-phenanthroline})$  acting as donor ligand.

**Organometallics, 22, 4001 (2003)**  
(con M. Pizzotti, C. Dragonetti, E. Annoni, F. Demartin e P. Mussini)

- 207) The surface of inorganic oxides or zeolites as a non conventional reaction medium for the selective synthesis of metal carbonyl complexes and clusters.

**Chem. Rev., 103, 3707 (2003)**  
(con E. Cariati, D. Roberto e E. Lucenti)

- 208) A multitechnique investigation of the second order NLO response of a 10,20-diphenylporphyrinato Ni(II) complex carrying a phenylethynyl based push-pull system in 5- and 15- positions.

**Journal of Porphyrins and Phthalocyanines, 8, 1311 (2004)**

**(con M. Pizzotti, E. Annoni, S. Bruni, S. Quici, P.C. Fantucci, M. Bruschi, G. Zerbi e M. Zoppo)**

- 209) Thermal transformations and stability of organometallic materials with electrical and optical properties: the case of polycrystalline *cis*-[Ir(CO)<sub>2</sub>Cl(C<sub>5</sub>H<sub>5</sub>N)].

**J. Phys. Chem. B., 109, 711 (2005)**

**(con P. Bergese, E. Bontempi, C. Dragonetti, D. Roberto, I. Colombo e L.E. Depero)**

- 210) An investigation on the role of the nature of sulfonate ancillary ligands on the strength and concentration dependence of the second-order NLO responses in CHCl<sub>3</sub> of Zn(II) complexes with 4,4'-*trans*-NC<sub>5</sub>H<sub>4</sub>CH=CHC<sub>6</sub>H<sub>4</sub>NMe<sub>2</sub> and 4,4'-*trans*, *trans*-NC<sub>5</sub>H<sub>4</sub>(CH=CH)<sub>2</sub>C<sub>6</sub>H<sub>4</sub>NMe<sub>2</sub>

**Inorg. Chem., 44, 2437 (2005)**

**(con F. Tessore, D. Locatelli, S. Righetto, D. Roberto e P. Mussini)**

- 211) New structural motifs, unusual quenching of the emission, and second harmonic generation of copper(I) iodide polymeric or oligomeric adducts with *para*-substituted pyridines or *trans*-stilbazoles.

**Inorg. Chem., 44, 4077 (2005)**

**(con E. Cariati, D. Roberto, P.C. Ford, S. Galli e A. Sironi)**

- 212) Surface organometallic chemistry: carbonyl complexes of Re(I) with silanolates as models of silica-anchored rhenium carbonyl species.

**Can. J. Chem., 83, 1017 (2005)**

**(con G. D'Alfonso, C. Dragonetti, S. Galli, E. Lucenti, P. Macchi e D. Roberto)**

- 213) Synthesis, electronic characterisation and significant second order non linear optical responses of meso tetraphenyl porphyrins and their Zn(II) complexes carrying a push or pull group in β pyrrolic position.

**Eur. J. Inorg. Chem., 3857 (2005)**  
(con E. Annoni, M. Pizzotti, S. Quici, T. Morotti, M. Bruschi e P. Mussini)

- 214) Exceptional molecular hyperpolarizabilities in twisted  $\pi$ -electron system chromophores.

**Angew. Chem. Int. Ed., 44, 7922 (2005)**  
(con H. Kang, A. Facchetti, P. Zhu, H. Jiang, Y. Yang, E. Cariati, S. Righetto, C. Zuccaccia, A. Macchioni, C.L. Stern, Z. Liu, S.T. Ho e T.J. Marks)

- 215) Surface organometallic chemistry. From the molecular approach to catalysis to organometallic syntheses mediated by the surface of inorganic oxides.

**Chimica e l'Industria, 88, 56 (2006)**

- 216) The effect on (E)-stilbazoles second order NLO response by axial interaction with M(II) 5,10,15, 20-tetraphenylporphyrinates (M = Zn, Ru, Os); a new crystalline packing with very large holes.

**Inorg. Chim. Acta., 359, 3029 (2006)**  
(con E. Annoni, M. Pizzotti, S. Quici, T. Morotti, N. Casati e P. Macchi)

- 217) Kètdimenziòs kèmia: hordozòra felvitt katalizàtorok modelljei és reakció

**Magyar Kémikusok Lapja, 61, 77 (2006)**  
(con O. Holczknecht)

- 218) An investigation on the two-photon absorption activity of various terpyridines and related homoleptic and heteroleptic cationic Zn(II) complexes

**J. Mater. Chem., 16, 1439 (2006)**  
(con S. Righetto, S. Rondena, D. Locatelli, D. Roberto, F. Tessore, S. Quici, S. Roma, D. Korystov e V.I. Srdanov)

- 219) A time-dependent density functional theory investigation on the nature of the electronic transitions involved in the nonlinear optical response of  $[\text{Ru}(\text{CF}_3\text{CO}_2)_3\text{T}]$  (T = 4'-(C<sub>6</sub>H<sub>4</sub>-p-Nbu<sub>2</sub>)-2,2':6',2''-terpyridine)

**Dalton Transactions, 852 (2006)**

(con F. De Angelis, S. Fantacci, A. Sgamellotti, F. Cariati, D. Roberto e F. Tessore)

- 220) Electronic characterisation and significant second-order NLO response of 10,20-diphenylporphyrins and their Zn<sup>II</sup> complexes substituted in the *meso* position with  $\pi$ -delocalised linkers carrying push or pull groups

**Eur. J. Inorg. Chem., 1743 (2006)**

(con T. Morotti, M. Pizzotti, S. Quici, M. Bruschi, P. Mussini e S. Righetto)

- 221) A Re(CO)<sub>5</sub> fragment bonded to a polyhedral oligomeric hydroxysilsesquioxane as a model which gives further evidence to the existence of an unexpected Re(CO)<sub>5</sub> surface species.

**J. Am. Chem. Soc., 128, 12054 (2006)**

(con E. Lucenti, G. D'Alfonso, P. Macchi, M. Maranesi, D. Roberto e A. Sironi)

- 222) Design and realization of new generations of organic chromophores for electro-optics.

**Nonlinear Optics, Quantum Optics, 35, 183 (2006)**

(con H. Kang, A. Facchetti, H. Jiang, E. Cariati, S. Righetto, L. Beverina, M. Morone, G. Pagani e T.J. Marks)

- 223) Electronic transitions involved in the absorption spectrum and dual luminescence of tetranuclear cubane [Cu<sub>4</sub>I<sub>4</sub>(pyridine)<sub>4</sub>] cluster: a Density Functional Theory/Time-Dependent Density Functional Theory Investigation.

**Inorg. Chem. 45, 10576 (2006)**

(con F. De Angelis, S. Fantacci, A. Sgamellotti, E. Cariati e P.C. Ford)

- 224) Coordination and organometallic compounds and inorganic-organic hybrid crystalline materials for second-order non-linear optics.

**Coord. Chem. Rev. 250, 1210 (2006)**

(con E. Cariati, M. Pizzotti, D. Roberto e F. Tessore)

225) Two-photon absorption of Zn(II) octupolar molecules.

**Phys. Chem. Chem. Phys.**, **9**, 2999 (2007)  
(con S. Mazzucato, I. Fortunati, S. Scolaro, M. Zerbetto, C. Ferrante, R. Signorini, D. Pedron, R. Bozio, D. Locatelli, S. Righetto, D. Roberto, A. Abbotto, G. Archetti, L. Beverina e S. Ghezzi)

226) Ultralarge hyperpolarizability twisted  $\pi$ -electron system electro-optic chromophores: Synthesis, solid-state and solution-phase structural characteristics, electronic structures, linear and nonlinear optical properties, and computational studies.

**J. Am. Chem. Soc.**, **129**, 3267 (2007)  
(con H. Kang, A. Facchetti, H. Jiang, E. Cariati, S. Righetto, C. Zuccaccia, A. Macchioni, C. L. Stern, Z. Liu, S.T. Ho, E.C. Brown, M.A. Ratner e T.J. Marks)

227) Cyclometallated iridium(III) complexes with substituted 1,10-phenanthrolines: a new class of highly active organometallic second order NLO-phores with excellent transparency with respect to second harmonic emission.

**Chem. Comm.**, **40**, 4116 (2007)  
(con C. Dragonetti, S. Righetto, D. Roberto, A. Valore, S. Fantacci, A. Sgamelotti e F. De Angelis)

228) The role of substituents on functionalized 1,10-phenanthroline in controlling the emission properties of cationic iridium(III) complexes of interest for electroluminescent devices.

**Inorg. Chem.**, **46**, 8533 (2007)  
(con C. Dragonetti, L. Falciola, P. Mussini, S. Righetto, D. Roberto, A. Valore, F. De Angelis S. Fantacci, A. Sgamelotti, M. Ramon e M. Muccini)

229) Surface-mediated organometallic synthesis: the role of the oxidation state and of ancillary ligands in the high-yield and selective syntheses of platinum carbonyl dianions  $[\text{Pt}_3(\text{CO})_6]_n^{2-}$  ( $n = 6, 5, 4, 3$ ) by reductive carbonylation under mild conditions and in the presence of surface basicity of various silica-supported Pt(IV) or Pt(II) compounds.

**Organometallics, 26, 310 (2007)**  
**(con C. Dragonetti, A. Ceriotti e D. Roberto)**

- 230) Sequential self-organization of silver(I) layered materials with strong SHG by J aggregation and intercalation of organic nonlinear optical chromophores through mechanochemical synthesis.

**Chem. Mater., 19, 3704 (2007)**  
**(con E. Cariati, R. Macchi, D. Roberto, S. Galli, N. Masciocchi e A. Sironi)**

- 231) Polyfunctional inorganic-organic hybrid materials: an unusual kind of NLO active layered mixed metal oxalates with tunable magnetic properties and very large Second Harmonic Generation.

**J. Am. Chem. Soc., 129, 9410 (2007)**  
**(con E. Cariati, R. Macchi, D. Roberto, S. Galli, N. Casati, P. Macchi, A. Sironi, L. Mogani, A. Caneschi e D. Gatteschi)**

- 232) Tuning second-order NLO responses through halogen bonding.

**Chem. Comm., 25, 2590 (2007)**  
**(con E. Cariati, A. Forni, S. Biella, P. Metrangolo, F. Meyer, G. Resnati, S. Righetto e E. Tordin)**

- 233) A three steps procedure (swelling-poling-deswelling) to produce a stable alignment of second order NLO-phores covalently attached to a cross-linked polymeric network.

**Materials Science and Engineering B, 147, 293 (2008)**  
**(con S. Proutière, P. Ferruti, A. Abbotto, R. Bozio, M. Cozzuol, C. Dragonetti, E. Emilritri, D. Locatelli, D. Marinotto, G. Pagani, D. Pedron e D. Roberto)**

- 234) Twisted  $\pi$ -electron system electrooptic chromophores. Structural and electronic consequences of relaxing twist-inducing nonbonded repulsions.

**J. Phys. Chem. C, 112, 8005 (2008)**

(con Y. Wang, D. L. Frattarelli, A. Facchetti, E. Cariati, E. Tordin, C. Zuccaccia, A. Macchioni, S. L. Wegener, C. L. Stern, M. A. Ratner e T. J. Marks)

- 235) Theoretical investigations of the effects of J-aggregation on the linear and nonlinear optical properties of *E*-4-(4-dimethylaminostyryl)-1-methylpyridinium [DAMS<sup>+</sup>].

**J. Phys. Chem. C**, **112**, 1213 (2008)  
(con F. Nunzi, S. Fantacci, F. De Angelis, A. Sgamellotti, E. Cariati e P. Macchi)

- 236) Large two photon absorption cross section of asymmetric Zn(II) porphyrin complexes substituted in the meso or  $\beta$  pyrrolic position by -C $\equiv$ C-C<sub>6</sub>H<sub>4</sub>X moieties (X = NMe<sub>2</sub>, NO<sub>2</sub>).

**Chem. Phys. Lett.**, **454**, 70 (2008)  
(con E. Collini, S. Mazzucato, M. Zerbetto, C. Ferrante, R. Bozio, M. Pizzotti e F. Tessore)

- 237) The role of 5-R-1,10-phenanthroline (R = CH<sub>3</sub>, NO<sub>2</sub>) on the emission properties and second order NLO response of cationic Ir(III) organometallic chromophores.

**Inorg. Chim. Acta**, **361**, 4070 (2008)  
(con C. Dragonetti, S. Righetto, D. Roberto, A. Valore, F. Demartin, F. De Angelis, A. Sgamellotti e S. Fantacci)

- 238) Tuning the magnetic properties of a new family of hybrid mixed metal oxalates having 1D magnetic chains and layers of J aggregates of [DAMS<sup>+</sup>] producing superior SHG.

**Inorg. Chim. Acta**, **361**, 4004 (2008)  
(con E. Cariati, R. Macchi, E. Tordin, L. Bogani, A. Caneschi, P. Macchi, N. Casati e A. Sironi)

- 239) Two-photon absorption properties of Zn(II) complexes: unexpected large TPA cross section of dipolar [ZnY<sub>2</sub>(4,4'-bis(para-di-n-butylaminostyryl)-2,2'-bipyridine)] (Y = Cl, CF<sub>3</sub>CO<sub>2</sub>).

**Chem. Phys. Lett.**, **475**, 245 (2009)

(con C. Dragonetti, M. Balordi, A. Colombo, D. Roberto, I. Fortunati, E. Garbin, C. Ferrante, R. Bozio, A. Abbotto e H. Le Bozec)

240) Synthesis, spectroscopic, and X-ray characterization of rhenium carbonyl complexes with different silsesquioxanes, as models that mimic the chemical behavior and the topology of the silica surface.

**Organometallics, 28, 2668 (2009)**

(con C. Dragonetti, L. Carlucci, G. D'Alfonso, E. Lucenti, P. Macchi, D. Roberto e A. Sironi)

241) Low-temperature nucleophilic attack of  $\text{Me}_3\text{SiO}^-$  and  $\text{MeO}^-$  on rhenium(I) and rhenium(0) carbonyl complexes.

**Organometallics, 28, 3040 (2009)**

(con E. Lucenti, G. D'Alfonso, C. Dragonetti, D. Roberto e A. Sironi)

242) Second-order non linear optical (NLO) properties of a multichromophoric system based on an ensemble of four organic NLO chromophores nanoorganized on a cyclotetrasiloxane architecture.

**J. Phys. Chem. C, 113, 2745 (2009)**

(con M. Ronchi, M. Pizzotti, A. Orbelli-Biroli, S. Righetto, P. Mussini, M. Cavazzini, E. Lucenti, M. Salsa e P.C. Fantucci)

243) An EFISH, theoretical, and PGSE NMR investigation on the relevant role of aggregation on the second order response in  $\text{CHCl}_3$  of push-pull chromophores [5-[4'-(dimethylamino)phenyl]ethynyl-15-[(4''-nitrophenyl)ethynyl]-10,20-diphenylporphyrinate]M(II) (M = Zn, Ni).

**J. Phys. Chem. C, 113, 11131 (2009)**

(con M. Pizzotti, F. Tessore, A. Orbelli-Biroli, F. De Angelis, S. Fantacci, A. Sgamellotti, D. Zuccaccia e A. Macchioni)

244) Excimer emission in single layer electroluminescent devices based on [Ir(4,5-diphenyl-2-methylthiazolo)<sub>2</sub>(5-methyl-1,10-phenanthroline)]<sup>+</sup>[PF<sub>6</sub>]<sup>-</sup>.

**J. Phys. Chem. C, 113, 12517 (2009)**

(con E. Margapoti, V. Shukla, A. Valore, A. Sharma, C. Dragonetti, C.C. Kitts, D. Roberto, M. Murgia e M. Muccini)

245) Second harmonic generation in nonsymmetrical squaraines: tuning of the directional charge transfer character in highly delocalized dyes.

**J. Mater. Chem., 19, 8190 (2009)**  
(con L. Beverina, R. Ruffo, G. Patriarca, F. De Angelis,  
D. Roberto, S. Righetto e G. Pagani)

246) Enhancing the efficiency of two-photon absorption by metal coordination.

**Phys. Chem. Chem. Phys., 11, 9450 (2009)**  
(con L. Grisanti, C. Sissa, F. Terenziani, A. Painelli, D.  
Roberto, F. Tessore, S. Quici, I. Fortunati, E. Garbin, C.  
Ferrante e R. Bozio)

247) On the origins and development of "surface organometallic chemistry".

**in Modern Surface Organometallic Chemistry p. 1-21,**  
**Editors J.M. Basset, R. Psaro, D. Roberto, R. Ugo (2009)**  
**J. Wiley-VCH**  
(con J.M. Basset)

248) Surface-mediated organometallic syntheses.

**in Modern Surface Organometallic Chemistry p. 639-**  
**683, Editors J.M. Basset, R. Psaro, D. Roberto, R. Ugo**  
**(2009) J. Wiley-VCH**  
(con E. Cariati, C. Dragonetti, E. Lucenti e D. Roberto)

249) Coordination and organometallic complexes as second-order nonlinear optical molecular materials.

**Top.Organomet. Chem., 28, 1-55 (2010)**  
(con S. Di Bella, C. Dragonetti, M. Pizzotti, D. Roberto e  
F. Tessore)

250) Stable SHG from *in situ* grown oriented nanocrystals of [(E)-N,N-dimethylamino-N'-methylstilbazolium][p-toluenesulfonate] in a PMMA film.

**J. Mater. Chem., 20, 1885 (2010)**  
(con R. Macchi, E. Cariati, D. Marinotto, D. Roberto, E.  
Tordin, R. Bozio, M. Cozzuol, D. Pedron e G. Mattei)

251) The role of ion pairs in the second-order NLO response of 4-X-1-methylpyridinium salts.

**ChemPhysChem, 11, 495 (2010)**  
(con F. Tessore, E. Cariati, F. Cariati, D. Roberto, R.

**Ugo, P. Mussini, C. Zuccaccia e A. Macchioni)**

- 252) Fluorinated  $\beta$ -diketonate diglyme lanthanide complexes as new second-order nonlinear optical chromophores: the role of f electrons in the dipolar and octupolar contribution to quadratic hyperpolarizability.

**J. Am. Chem. Soc., 132, 4966 (2010)**

**(con A. Valore, E. Cariati, S. Righetto, D. Roberto, F. Tessore, I.L. Fragalà, M.E. Fragalà, G. Malandrino, F. De Angelis, L. Belpassi, I. Ledoux-Rak, K.H. Thi e J. Zyss)**

- 253) Cyclometalated Ir(III) complexes with substituted 1,10-phenanthrolines: a new class of efficient cationic organometallic second-order NLO chromophores.

**Chem. Eur. J., 16, 4814 (2010)**

**(con A. Valore, E. Cariati, C. Dragonetti, S. Righetto, D. Roberto, F. De Angelis, S. Fantacci, A. Sgamellotti, A. Macchioni e D. Zuccaccia)**

- 254) Luminescent cyclometalated Ir(III) and Pt(II) complexes with  $\beta$ -diketonate ligands as highly active second-order NLO chromophores.

**Chem. Comm., 46, 2414 (2010)**

**(con A. Valore, A. Colombo, C. Dragonetti, S. Righetto, D. Roberto, F. De Angelis e S. Fantacci)**

- 255) Slow relaxation of the magnetization in non-linear optical active layered mixed metal oxalate chains.

**Inorg. Chem., 49, 10894 (2010)**

**(con E. Cariati, G. Santoro, E. Tordin, L. Sorace, A. Caneschi, A. Sironi, P. Macchi e N. Casati)**

- 256) Novel ruthenium(II) complexes with substituted 1,10-phenanthroline or 4,5-diazafluorene linked to a fullerene as highly active second order NLO chromophores.

**Dalton Trans., 39, 10314 (2010)**

**(con A. Valore, M. Balordi, A. Colombo, C. Dragonetti, S. Righetto, D. Roberto, T. Benincori, G. Rampinini, F. Sannicò e F. Demartin)**

- 257) Synthesis and catalytic activity of titanium silsesquioxane frameworks as models of titanium active surface sites of controlled nuclearity.

**Organometallics**, 29, 6687 (2010)

(con T. Giovenzana, M. Guidotti, E. Lucenti, A. Orbelli  
Biroli, L. Sordelli e A. Sironi)

- 258) UV absorbing zwitterionic pyridinium-tetrazolate: exceptional transparency/optical nonlinearity trade-off.

**Chem. Comm.**, 47, 292 (2011)

(con L. Beverina, S. Sanguineti, G. Battagliarin, R.  
Ruffo, D. Roberto, S. Righetto, R. Soave, L. Lo Presti e  
G.A. Pagani)

- 259) A novel diruthenium acetylide donor complex as an unusual active material for bulk heterojunction solar cells.

**Organometallics**, 30, 1279 (2011)

(con A. Colombo, C. Dragonetti, D. Roberto, L. Falciola,  
S. Luzzati, D. Kotowski)

- 260) In situ growth in a PMMA film of oriented nanocrystals of the hybrid inorganic-organic acentric material [(E)-N,N-dimethylamino-N'-methylstilbazolium][Cu<sub>5</sub>I<sub>6</sub>].

**J. Mater. Chem.**, 21, 9778 (2011)

(con R. Macchi, E. Cariati, D. Marinotto, E. Tordin,, G.  
Santoro, M.C. Ubaldi, S.M. Pietralunga, G. Mattei)

- 261) Cyclometallated platinum(II) complexes of 1,3-di(2-pyridyl)benzenes for solution-processable WOLEDs exploiting monomer and excimer phosphorescence.

**J. Mater. Chem.**, 21, 8653 (2011)

(con W. Mroz, C. Botta, U. Giovanella, E. Rossi, A.  
Colombo, C. Dragonetti, D. Roberto, A. Valore, J.A.G.  
Williams)

- 262) Linear and nonlinear optical properties of cationic bipyridyl iridium(III) complexes: tunable and photoswitchable?

**Inorg. Chem.**, 50, 5027 (2011)

(con V. Aubert, L. Ordroneau, M. Escadeillas, J.A.G.  
Williams, A. Boucekkine, E. Coulaud, C. Dragonetti, S.  
Righetto, D. Roberto, A. Valore, A. Singh, J. Zyss, I.  
Ledoux-Rak, H. Le Bozec, V. Guerschais)